



**CITY OF COLD SPRING**  
**27 RED RIVER AVENUE SOUTH**  
**COLD SPRING, MN 56320**  
**Phone: (320) 685-3653**  
**Fax: (320) 685-8551**  
**[www.coldspring.govoffice.com](http://www.coldspring.govoffice.com)**

Mayor Doug Schmitz  
**City Council Members:**  
Jan Dingmann  
Fran Ramler  
Dave Stadther  
Bob Thelen  
Paul Hetland, City Administrator

---

## **Public Notice**

### **City of Cold Spring**

NOTICE IS HEREBY GIVEN that the City of Cold Spring will hold a public hearing on the City's Amended Wellhead Protection Plan (WHP) Part II, which is a requirement of the Minnesota Wellhead Protection Rule 4720, part 4720.5300. The meeting will be held on Monday, November 24, 2014, at 6:30 p.m., in the Council Chambers of City Hall, 27 Red River Avenue South, Cold Spring, MN. A brief presentation will provide information on Part II of the City's Amended WHP Plan, including a review of the City's Drinking Water Supply Management Area (DWSMA), potential contaminate sources identified in the DWSMA, and the management strategies developed to continue protecting the City's drinking water supply. Questions regarding this notice may be directed to the Public Works Director at (320) 685-3524.

DATED: November 19, 2014.